

UNCLASSIFIED

AD 402 049

DEFENSE DOCUMENTATION CENTER

FOR

SCIENTIFIC AND TECHNICAL INFORMATION

CAMERON STATION, ALEXANDRIA, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

ASTIA FILE COPY

① 402049

44355

STEP 21,2300 ⑤ 17511

P/045/62/022/005/007/009
B188/B186

AUTHORS: ⑤ Bujok, J., and Sujak, B.

TITLE: ⑥ γ -ray absorption changes in graphitized carbon as effect of a pressure applied

PERIODICAL: ⑦ Acta Physica Polonica, v. 22, no. 5(11), 1962, 435 - 437

TEXT: It is investigated how the absorption of γ -radiation in a lump of graphitized carbon depends on an external pressure. The pressures applied varied from zero to 26.8 kg/cm². Cs¹³⁷ is used as radiation source and a Geiger-Müller counter as radiation detector. The measured result is given in figure 2. It is shown that the absorption capacity also depends on whether the sample had been exposed to pressure before the measurement. This is explained by irreversible deformations inside the sample caused by the preceding compression stress. There are 2 figures.

ASSOCIATION: Hauptinstitut für Bergbauwesen, Katowice (J. Bujok); (Main Institute of Mining, Katowice); Institut für Experimentalphysik, Universität zu Wrocław und Hauptinstitut für Bergbauwesen, Katowice (B. Sujak) (Institute of Experimental Physics, University of Wrocław Main Institute of Mining, Katowice)

Card 1/2


γ -ray absorption changes...

P/045/62/022/005/007/009
B188/B186

SUBMITTED: April 17, 1962

Figure 2. Intensity of the radiation as function of the applied pressure.

Legend: Full line curve: Measuring without preceding pressure. Broken line curve: Measuring after applying a pressure of 26.8 kg/cm².



Card 2/2